


General Health Fair or Poor




General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.1	21.1	16.1	19.9	13.5	22.8	23.1	18.1	19.9	18.7
Black	23.5	31.0	25.5	28.3	19.9	30.4	32.8	25.6	25.2	25.4
Total	19.3	22.7	22.1	23.2	16.5	25.5	27.7	21.0	20.8	21.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

No Health Care Coverage




No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	14.5	14.1	13.1	15.7	9.9	15.8	20.5	15.0	17.2	14.5
Black	26.4	37.6	27.2	28.2	27.0	32.3	31.4	23.4	22.7	27.7
Total	18.7	18.2	22.5	20.6	17.7	21.8	25.5	18.8	18.2	19.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Physical Health Not Good For More Than 7 Days In Past Month




Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	16.8	16.8	18.3	15.1	11.3	18.4	17.6	16.7	16.7	15.5
Black	15.2	20.1	17.7	19.4	15.7	15.9	20.5	15.6	18.0	22.6
Total	16.0	17.3	17.7	16.8	13.5	17.7	19.0	16.4	17.3	16.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Mental Health Not Good For More than 7 Days In Past Month




Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.3	15.4	14.2	17.6	13.3	18.9	15.3	15.6	19.4	16.2
Black	18.3	19.7	22.6	23.6	13.3	22.9	18.3	25.3	15.4	18.4
Total	17.4	16.2	18.8	19.6	13.2	20.6	16.6	18.6	19.2	16.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Unable to See a Doctor in Past 12 Months Because of Cost




Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	16.1	16.2	11.8	14.3	10.4	17.5	18.6	16.1	16.7	15.0
Black	29.4	34.8	31.3	29.0	26.3	28.3	34.1	28.5	21.0	28.6
Total	21.4	19.6	23.8	19.5	17.7	21.4	25.5	20.1	17.3	19.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

No Exercise in Past 30 Days




No Exercise in Past 30 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	33.2	30.9	37.9	32.3	23.2	31.2	30.8	29.7	29.0	29.8
Black	33.7	38.7	39.9	38.3	39.7	34.7	42.1	29.0	37.4	37.5
Total	33.3	32.2	39.3	34.7	31.0	32.2	36.2	29.0	30.5	32.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Insufficient Sleep Past 14 Days




Insufficient Sleep in Past 14 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	30.4	26.4	29.9	29.3	28.4	29.8	29.9	38.4	32.2	29.8
Black	34.3	39.9	29.7	27.2	25.7	35.6	27.5	29.6	34.6	37.5
Total	32.5	28.9	29.5	28.8	27.0	32.4	28.8	35.8	32.4	32.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Overweight or Obese




At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	64.3	64.8	68.0	67.3	59.4	60.1	66.3	66.2	67.3	62.6
Black	73.1	71.1	76.5	72.4	71.6	75.5	72.0	65.8	87.1	71.3
Total	66.8	65.7	73.3	69.2	65.0	65.5	68.7	66.7	70.2	65.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Obesity




At Risk Because of Obesity

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	31.5	30.0	31.2	29.0	23.0	29.2	32.9	31.5	31.5	28.6
Black	41.3	43.5	48.0	39.4	38.9	42.6	37.0	38.4	40.7	39.9
Total	34.4	31.7	41.3	33.1	30.5	34.1	34.6	33.4	33.0	32.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Current Smoker




Current Smoker

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	26.4	25.4	23.0	20.7	20.4	24.6	23.9	18.9	27.1	23.6
Black	24.7	23.2	15.5	23.3	17.4	23.6	25.0	27.5	21.6	20.8
Total	25.5	24.8	18.3	21.9	19.0	24.4	24.3	21.5	26.2	22.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Had Asthma




Ever Had Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.1	11.2	8.8	10.4	7.6	10.1	12.5	11.0	13.4	10.6
Black	14.6	11.9	14.1	10.6	12.0	13.5	10.9	11.1	11.5	12.2
Total	11.6	11.2	11.8	10.5	9.6	11.9	12.0	11.4	13.1	11.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Presently Have Asthma




Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.7	8.3	4.0	5.4	3.9	7.3	9.7	7.7	6.3	6.3
Black	10.6	9.7	10.1	8.2	7.9	7.9	8.0	7.9	2.6	8.3
Total	8.0	8.4	7.6	6.4	5.8	7.8	9.0	7.6	5.8	7.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With Diabetes




Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.1	8.7	7.4	10.7	9.4	12.6	10.2	9.1	10.9	9.8
Black	11.1	13.2	14.5	14.4	13.4	17.0	17.5	11.3	20.0	14.2
Total	9.7	9.4	11.6	12.0	11.2	14.2	13.4	10.0	12.1	11.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With A Heart Attack




Ever Diagnosed With A Heart Attack

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.1	5.5	4.9	5.7	3.6	4.0	6.4	4.5	5.7	4.9
Black	3.8	2.5	4.9	3.9	4.6	4.7	6.2	2.7	8.2	4.6
Total	4.7	4.9	4.7	5.1	4.1	4.2	6.2	4.1	6.7	4.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With Coronary Heart Disease




Ever Diagnosed With Coronary Heart Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.5	4.2	3.3	3.8	3.2	4.2	4.9	5.6	6.4	4.6
Black	2.4	1.2	3.4	2.7	2.2	3.0	5.6	2.3	4.9	2.9
Total	3.8	3.6	3.4	3.3	2.8	3.7	5.2	4.7	6.3	4.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With a Stroke




Ever Diagnosed With A Stroke

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.1	3.1	2.9	2.6	3.8	5.1	4.9	3.1	4.0	3.7
Black	6.4	3.4	3.9	1.9	4.6	6.8	3.1	2.8	7.4	4.5
Total	5.0	3.1	3.6	2.5	4.2	5.7	4.0	3.0	4.5	4.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Had a PSA Test (Age 40+)




Ever Had a PSA Test (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	60.8	67.3	57.0	75.8	71.8	67.6	74.1	65.0	68.4	64.2
Black	49.7	34.3	55.6	75.0	63.1	64.9	65.0	65.3	49.9	59.0
Total	58.5	63.4	56.6	74.3	67.4	66.9	70.6	65.0	65.5	62.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

PSA Test in Past 2 Years (Age 40+)




PSA Test in Past 2 Years (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	49.1	56.3	49.2	64.7	63.2	58.1	64.0	56.2	54.2	53.4
Black	38.2	23.1	41.3	60.7	54.2	53.5	56.5	43.8	48.0	47.2
Total	47.3	52.4	44.7	62.6	58.9	56.8	59.9	52.9	51.7	51.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Never Had Colonoscopy or Sigmoidoscopy (Age 50+)




Never Had Sigmoidoscopy or Colonoscopy (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	45.7	43.1	47.8	58.4	32.7	44.1	39.3	38.8	39.1	40.1
Black	48.9	50.7	62.6	36.5	45.3	56.1	53.3	45.9	51.1	51.0
Total	45.9	44.2	55.6	51.7	37.2	47.6	44.6	40.8	40.4	43.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Report Fall in Past 3 Months (Age 45+)




Report Fall in Past 3 Months (Age 45+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	21.1	18.0	15.1	16.8	13.6	19.0	16.5	16.1	16.2	16.5
Black	15.2	16.2	15.3	20.7	17.0	20.4	17.2	18.3	24.2	17.4
Total	19.1	17.8	15.3	18.7	14.9	19.4	17.2	17.0	17.7	16.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Had a Pap Test



Ever Had a Pap Test

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	96.0	95.6	96.4	98.7	97.0	94.9	92.4	93.5	93.0	95.0
Black	93.6	98.2	92.8	86.2	94.3	95.3	91.8	93.3	100.0	93.3
Total	95.2	95.7	93.0	93.8	95.7	95.2	92.2	93.5	93.9	94.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Pap Test in Past Three Years




Pap Test in Past Three Years

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	82.5	73.9	75.2	79.9	87.1	80.0	76.5	77.9	78.1	79.3
Black	84.9	86.5	85.0	76.2	85.8	85.1	79.9	82.6	89.6	83.8
Total	84.1	75.9	81.0	78.9	86.4	82.4	77.7	79.2	79.7	80.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Had Mammogram and CBE (Age 40+)




Ever Had Mammogram and CBE (Women 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	80.6	76.9	82.2	81.0	89.5	81.9	85.9	85.3	82.2	82.9
Black	62.0	72.7	68.3	80.3	76.2	74.5	82.1	71.8	76.6	73.6
Total	74.2	75.0	73.9	81.0	83.7	79.9	84.2	82.0	81.0	79.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Mammogram and CBE in Past Two Years (Age 50+)




Mammogram and CBE in Past Two Years (Women 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	62.6	55.6	61.2	56.1	64.5	59.5	65.1	60.8	59.6	60.3
Black	41.9	64.3	56.8	61.0	57.4	55.0	63.0	56.1	60.7	57.1
Total	56.1	56.8	58.6	57.8	61.7	58.5	64.1	59.3	59.5	59.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

No Flu Shot in Past 12 Months




No Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	37.7	42.4	44.8	35.5	46.1	43.3	43.7	40.9	34.2	40.1
Black	32.8	30.9	20.8	25.5	26.9	28.3	25.1	33.1	34.9	27.5
Total	35.5	40.1	29.8	31.6	37.5	37.9	35.4	37.8	34.7	35.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Had Pneumonia Vaccination




Ever Had Pneumonia Vaccine

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	25.2	28.3	30.0	27.0	27.0	32.6	38.3	24.7	26.5	25.6
Black	13.5	18.3	18.2	17.9	17.5	24.6	19.6	18.3	18.7	17.0
Total	21.0	26.1	22.6	23.7	22.3	29.4	29.6	22.6	25.8	22.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Activities Limited by Health Problems




Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	27.4	26.6	26.5	26.2	20.2	27.6	28.6	27.1	26.1	25.6
Black	19.5	24.1	22.5	22.2	18.7	23.5	22.1	22.5	25.7	21.2
Total	24.7	25.9	23.7	25.1	19.4	26.0	25.6	26.2	26.3	24.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Special Equipment Needed For Health Problems




Special Equipment Needed for Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	11.2	8.0	8.4	8.8	6.9	10.6	10.0	8.3	8.4	8.6
Black	10.0	6.9	8.8	9.9	9.4	12.4	11.8	9.8	14.1	10.1
Total	10.7	7.9	8.6	9.7	8.0	11.2	10.7	8.9	9.2	9.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008


More Than One Year Since Last Visit to a Dentist



	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	50.6	37.4	42.1	37.8	25.7	38.6	46.0	38.7	41.2	36.5
Black	29.8	43.2	50.3	53.7	43.0	54.3	52.3	41.5	39.5	47.0
Total	39.7	38.0	48.3	44.1	33.7	44.6	48.7	40.8	41.2	40.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

More Than One Year Since Dental Cleaning




More Than One Year Since Teeth Cleaned by a Dentist

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	31.9	40.0	45.2	42.9	25.4	36.0	46.3	38.5	42.0	33.7
Black	50.9	45.5	58.4	64.1	46.4	60.4	58.5	50.7	42.2	46.9
Total	38.2	40.4	54.3	50.9	34.9	45.2	51.4	43.2	42.2	38.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Have Had One or More Permanent Teeth Removed




Have Had One or More Permanent Teeth Removed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	52.9	55.0	56.3	51.3	43.5	58.4	61.9	54.0	53.9	52.4
Black	63.1	69.2	73.3	72.8	65.4	64.4	76.0	74.1	67.1	67.8
Total	55.9	57.2	66.5	59.2	53.5	60.2	67.9	59.0	55.6	57.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

At Risk Because of Binge Drinking




At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	14.9	10.1	11.0	8.5	13.6	8.1	6.7	7.2	12.6	10.8
Black	9.6	10.1	6.6	7.2	14.3	10.8	13.2	10.3	6.5	10.4
Total	12.8	10.1	8.1	8.4	13.8	9.0	9.4	8.4	11.9	10.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

At Risk Because of Heavy Drinking




At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	3.8	2.6	5.5	2.7	5.0	2.4	3.0	2.0	5.4	3.7
Black	3.5	5.7	2.3	4.1	2.3	4.7	5.8	5.1	1.2	3.4
Total	3.7	3.1	3.8	3.2	3.7	3.7	4.2	2.8	4.9	3.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Drove Vehicle After Drinking Too Much in Past 30 Days




Drove Vehicle After Drinking Too Much in Past 30 Days¹

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	3.8	1.7	5.1	2.8	2.4	0.7	2.7	4.8	1.3	2.5
Black	13.2	0.0	6.0	9.3	4.7	0.0	14.2	3.3	3.3	5.8
Total	6.4	1.4	5.5	5.2	3.2	0.4	8.3	4.2	1.6	3.4

¹ Denominator is those who drink

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Always or Nearly Always Wear Seat Belts




Always or Nearly Always Wear Seat Belts

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	87.8	89.0	89.7	87.1	93.8	93.4	90.4	91.8	91.0	90.1
Black	81.4	84.3	82.5	84.5	83.5	88.5	86.2	91.0	95.0	83.9
Total	85.1	88.0	85.3	86.3	89.0	91.7	88.6	91.8	91.8	88.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Rarely or Never Get Emotional Support Needed




Rarely or Never Get Emotional Support Needed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.1	7.0	5.4	5.3	5.0	7.6	7.4	7.1	8.4	6.6
Black	10.8	19.4	11.9	17.9	9.6	11.1	13.1	8.3	11.4	11.2
Total	8.0	9.2	9.1	9.8	7.1	8.9	9.9	7.9	9.6	8.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Dissatisfied or Very Dissatisfied With Life




Dissatisfied or Very Dissatisfied With Life

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.8	5.2	3.4	2.9	4.2	5.3	6.7	5.2	8.0	5.3
Black	6.6	6.9	7.4	4.7	5.4	8.9	8.2	4.2	8.3	6.2
Total	6.1	5.4	6.1	3.8	4.7	6.6	7.2	5.6	8.3	5.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With Anxiety Disorder




Ever Diagnosed With Anxiety Disorder

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	10.2	15.0	12.4	13.1	17.8	18.9	15.1	13.4	18.2	13.9
Black	6.6	11.1	8.4	5.8	5.0	8.6	12.0	10.3	12.1	6.4
Total	8.8	14.3	9.8	10.4	11.9	15.1	13.8	12.6	17.4	11.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Ever Diagnosed With Depressive Disorder




Ever Diagnosed With Depressive Disorder

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	23.2	19.4	14.0	15.1	20.2	22.0	22.6	17.3	19.9	17.2
Black	9.2	11.7	9.8	10.5	11.5	13.2	15.1	11.3	13.4	9.4
Total	17.9	17.9	11.1	13.3	16.1	18.7	19.4	16.9	19.1	14.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Never Tested For HIV (Age 18-64)




Never Tested for HIV (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	65.4	67.1	74.0	76.6	67.7	65.5	66.7	64.8	59.1	63.2
Black	47.9	50.4	46.2	47.8	49.9	48.4	49.4	43.5	44.8	46.6
Total	57.5	63.5	55.9	64.9	58.9	58.2	58.7	57.2	57.0	56.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008

Participated in High Risk Behavior (Age 18-64)



Participated in High Risk Behavior (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	1.7	2.7	2.9	1.9	1.5	1.2	4.2	2.1	1.7	2.0
Black	7.3	5.8	11.5	8.9	9.5	11.4	4.3	2.6	5.1	8.0
Total	4.0	3.3	8.1	4.5	5.3	5.8	4.3	2.9	2.0	4.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2008